



【Material Safety Data Sheet】

Target of this document :All user and work manager of this product including manufacturing worker, dealer and transportation etc..

1. Chemical Product and Company Identification

Product/Chemical Name	VBC 2XLUBE Super Turbo CF4/SG 20W50
General Characteristics	Liquid (mixture)
Identification of Hazard	Irritable, Hazardous on environment
General Use	Engine oil
Manufacturer	Vina Buhmwoo Co.,Ltd No 7C, Nhon Trach 2 IZ, Nhon Trach District, Dong Nai Province, VietNam. Tel : 0251 356 9521-3 Fax : 02511 356 9520
Supplier/Dealer	Vina Buhmwoo Co.,Ltd No 7C, Nhon Trach 2 IZ, Nhon Trach District, Dong Nai Province, VietNam. Tel : 0251 356 9521-3 Fax : 02511 356 9520
Issue date	2021-04-15
Revision no, Date	Date :

2. Hazard Identification

a) Hazard.Risk Classification :

Acute Toxicity-Inhalation : Category 4

Skin corrosion/irritation : Category 2

Eye Damage/irritation : Category 2A

b) Label elements including precautionary statements

o Symbol :



o Signal Word :

Warning

o Hazard.Risk

H315: Causes skin irritation

H332: Causes serious eye irritation

H332 : Harmful if inhaled

o Precautionary Statement :

© Prevention

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash ... thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/faceprotection.

© Response

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P321: Specific treatment(see ... on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

© Storage

See the Section 7

© Disposal

See the Section 13

c) Other Hazard.Risk which are not included in the classification criteria

○ NFPA Code : Health: 1, Flammability: 1, Reactivity: 0

3. Composition/Information on Ingredients

Chemical Name	CAS No	Contents(%)
Distillates, hydrotreated heavy paraffinic	64742-54-7	80 ~ 90
Ethylene-propylene copolymer	9010-79-1	5 ~ 15
Trade Secret	Not determined	1 ~ 10

4. First Aid Measures

Eye Contact

Thoroughly flush the eyes with large amounts of clean low-pressure water for atleast 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.

Skin Contact

Remove contaminated clothing and wash skin with plenty of soap and water.Flush with plenty of water for 15 minutes. If sticky, use waterless cleaner first.Seek medical attention if ill effect or irritation develops.

Inhalation

If overcome by exposure, remove person to fresh air immediately. Give oxygen orartificial respiration as needed. Obtain emergency medical attention. Prompt action isessential.

Ingestion

Do not induce vomiting. Obtain emergency medical attention. Prompt action isessential.

Indication of immediate medicalattention and notes for physician :

May cause slight eye and skin irritation. Not expected to be a sensitizer. Treatsymptomatically.

Treatment of overexposure should be directed at the control ofsymptoms and the clinical condition of the patient.

5. Fire-Fighting Measures

a) Suitable

© SMALL FIRE : Use dry chemicals, CO2, water spray or alcohol-resistant foam.

© LARGE FIRE : Use water spray, water fog or alcohol-resistant foam

b) Specific hazards arising from the chemical :

Thermal decomposition may produce carbon monoxide and other toxic vapors.

c) Special protective equipment and precautions for fire-fighters :

Wear an approved positive pressure self-contained breathing apparatus and firefighter turnout gear. Heat from fire enerate flammable vapor. When mixed with air and exposed to ignition source, vapors can burn open or explode if confined. Vapors may be heavier than air. May travel long distances along the ground before igniting and flashing back to vapor source. Fine sprays/mists may be combustible at temperatures below normal flah point. Fight fire form a safe distance/protected location.

Heat may build enough pressure to rupture closed containers/spreading fire/increasing risk of

Use water spray/fog for cooling. Avoid frothing/steam explosion. Burning liquid may float on water.

Although water souble, may not be practical to extinguish fire by water dilution. Notify authorities

immediately if liquid enters sewer/public waters.

6. Accidental Release Measures

a) Personal precautions, protective equipment and emergency procedures :

Wear chemical resistant gloves such as : Butyl rubber.

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn.

The equipment must be cleaned thoroughly after each use.

b) Environmental precautions and protective procedures :

May contaminate water supplies/pollute public waters. Evacuate/Limit access.

Equip responders with proper protection.

Prevent flow to sewer/public waters. Stop release. Notify fire and environmental authorities.

Restrict water use for cleanup.

c) Methods and materials for containment and cleaning up :

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do it without risk. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Prevent entry into waterways, sewer, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Use clean non-sparking tools to collect absorbed material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Large Spills: Water spray may reduce vapor but may not prevent ignition in closed spaces. Recover by pumping or with suitable absorbent.

7. Handling & Storage

a) Precautions for safe handling :

Avoid contact with skin. Use proper bonding and/or grounding procedures.

Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source).

b) Conditions for safe storage (including any incompatibilities) :

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Storage containers should be grounded and bonded.

Drums must be grounded and bonded and equipped with self-closing valves, pressure vacuum bungs and flame arresters.

8. Exposure Controls/Personal Protection

a) Control parameters (e.g. occupational exposure limit values, biological limit values) :

<Mineral oil mist>

OSHA TWA: 5mg/m³

- ACGIH TWA: 5mg/m³, STEL: 10mg/m³

- NIOSH TWA(10hr): 5mg/m³, STEL: 10mg/m³

b) Appropriate engineering controls :

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:

Adequate ventilation should be provided so that exposure limits are not exceeded. Use explosion-proof ventilation equipment.

c) Personal protective equipment :

o Respiratory

If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate

to protect worker health, an approved respirator may be appropriate. Respirator selection, use and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include : Half-face filter respirator.

○ **Eye protection :**

Eye protection such as chemical splash goggles and/or face shield must be worn when possibility exists for eye contact due to splashing or spraying liquid, airborne particles, or vapor.

○ **Hands protection :**

Wear chemical resistant gloves such as: Butyl rubber.

○ **Body protection :**

Any specific clothing information provided is based on published literature or manufacturer data.

The types of clothing to be considered for this material include:

If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

9. Physical & Chemical Properties

Appearance :	Yellowish Brown transparent
Odor :	Mild petroleum odour
Odour threshold :	No data available
pH :	Not available.
Melting point/freezing point :	Not available.
Initial boiling point and boiling range :	No data available
Flash point :	250 °C
Evaporation rate :	No data available.
Flammability (solid, gas) :	No applicable
Upper/lower flammability or explosive limits	No data available.
Vapor pressure :	Less than 0.1kPa at 20°C
Solubility :	Water solubility: Negligible
Vapor density :	More than 5 (Air = 1)
Specific gravity (15°C) :	0.880 (Typical)
Partition coefficient: n-octanol/water :	No data available.
Auto-ignition temperature :	No data available.
Decomposition temperature :	No data available.
Viscosity (mPa·s, 100°C) :	19.1 (Typical)
Molecular mass :	No data available.

10. Stability & Reactivity

a) **Chemical stability and possibility of hazardous reactions :**

Material is stable under normal conditions

b) **Conditions to avoid** Not expected to occur.

c) **Incompatible** Heat, sparks, open flame, other ignition sources, and oxidizing conditions.

d) **Hazardous decomposition products :**

Strong oxidizers such as hydrogen peroxide, nitric acid, sulphuric acid, etc

e) **Hazardous decomposition products :** Carbon oxides (CO, CO₂)

11. Toxicological Information

a) **Information on the likely routes of**

- | | |
|--------------|------------------------------|
| ○ Inhalation | May cause slight irritation. |
| ○ Ingestion | May cause diarrhea. |

- Eye exposure : May cause slight eye irritation.
- Skin exposure May cause slight skin irritation.

b) Health hazards information

- Acute toxicity : <Highly refined mineral oil>-IUCID
- Oral : LD50(rat) > 5000mg/kg
- Skin : LD50(rabbit): > 5000mg/kg
- Inhalation : LC50(rat) : 2.18mg/L/4h
- Skin May cause slight skin irritation.
- Serious eye damage/irritation : May cause slight skin irritation.
- Respiratory sensitization : Not expected to be a sensitizer.
- Skin sensitization : Not expected to be a sensitizer.
- Carcinogenicity : Not applicable
- Germ cell mutagenicity : Not applicable
- Reproductive toxicity : Not applicable
- Specific target organ systemic toxicity-single Not applicable
- Specific target organ systemic toxicity-repeated Not applicable
- Aspiration hazard : No data available.
- c) Numerical measures of toxicity : No data available.

12. Ecological Information

a) Aquatic and

- <Highly refined mineral oil>
- Chronic Toxicity data (fish), NOEC : >5000mg/L (7day)-IUCID Data
- Chronic Toxicity data (Aquatic Invertebrates), 552mg/L (7day)-IUCID Data

- b) Persistence and degradability : Expected to be biodegradable.
- c) Bioaccumulative potential : Not applicable
- d) Mobility in soil : Expected to have mobility in soils.
- e) Other adverse effects : No data available.

13. Disposal Consideration

- a) Disposal method : Use only licensed transporters and permitted facilities for waste disposal.
- b) Disposal precaution

RCRA Information: The unused product, in our opinion, is not specifically listed by the EPA as a hazardous waste (40 CFR, Part 261D), nor is it formulated to contain materials which are listed as hazardous wastes. It does not exhibit the hazardous characteristics of ignitability, corrosivity or reactivity and is not formulated with contaminants as determined by the Toxicity Characteristic Leaching Procedure (TCLP). However, used product may be regulated.

14. Transport Information

- a) UN number : Not applicable
- b) UN proper shipping : Not applicable
- c) Transport hazard class : Not applicable
- d) Packing group (if applicable) : Not applicable
- e) Marine pollution (yes/no) : Not applicable
- f) Special precaution which a user to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises : Not applicable

15. Regulatory Information

a) Safety, health and environmental regulations specific for the product in question:

- EINECS (European Inventory of Existing Commercial Chemical Substances), June 15, 1991
- TSCA (US, Toxic Substances Control Act), December, 2006
- AICS (Australian Inventory of Chemical Substances), June, 1996
- DSL (Canadian Domestic Substances List), January 26, 1991
- IECSC (Chinese Chemical Inventory)
- ENCS (Japanese Existing and New Chemical Substances)
- ECL (Korean Existing Chemical Number), January, 1997
- PICCS (Philippine Inventory of chemicals and Chemical Substances), 2000
- NZIoC (New Zealand Inventory of Chemicals), 2006
- SWISS (Swiss Giftliste 1 and Inventory of Notified New Substances)
- ASIA-PAC

<EU Classification and Labelling information>

- o Classification: Carc. Cat. 2: R45
- o Symbol(s) and Indication(s) of Danger : T - Toxic
- o Risk Phrases
 - R45: May cause cancer.
- o Safety Phrases
 - S53: Avoid exposure - obtain special instructions before use.
 - S45: In case of accident or if you feel unwell, seek medical advice immediately

16. Other Information

a) Information source and references:

- 1) Globally Harmonized System of classification and labeling of chemicals(GHS), First revised
- 2) United States National Library of Medicine.
- 3) EINECS (European Inventory of Existing Commercial chemical Substances)
- 4) IARC(International Agency for Research on Cancer.)
- 5) NIOSH (The National Institute for Occupational Safety and Health)
- 6) ACGIH (American Conference of Governmental Industrial Hygienists.)
- 7) IUCLID Data
- 8) ICSC (International Chemical Safety Cards) - ILO
- 9) Transport of Dangerous Goods - UN
- 10) Korea Occupational Safety & Health Agency
- 11) U.S Department of Health and Human Services.
- 12) MSDS of raw material from supplier

The product is intended only for commercial/industrial processing or application. This information is based on the information from and the raw material company, and is intended to describe the product for the purposes of health, safety and environmental requirements only. Therefore, it should not be construed as guaranteeing any specific property of the product. To the best of our knowledge, the information contained herein is correct and accurate. However, Vina Buhmwoo Company Ltd does not assume any liability whatsoever for the correctness or accuracy of information contained herein. The precautionary items were based on ordinary handling, in case of special handling, safety measures in compliance with the application and usage shall be executed. Final determination of safety and suitability of any material is the sole responsibility of the keeper end user. All materials may present unknown hazards are described herein but they may not be the only hazards in relation to the products. For more information, contact our Internet Home Page (www.vinabuhmwoo.com) or send email to us.